





ONLY JIMNY

No other compact 4x4 has the features, the heritage, or the experience of the legendary Suzuki Jimny. For more than 50 years, this 4WD has been carving out a reputation as one of the toughest, most tenacious off-roaders out there. With its rigid ladder frame, high ground clearance and ALLGRIP PRO drive system, the Jimny stays true to its origins of uncompromising off-road ability.

Kinetic Yellow Brisk Blue Chiffon Ivory Metallic Jungle Greer with Bluish Black with Bluish Black with Bluish Black (ZZC) Pearl 3 (DG5) Pearl 3 (CZW) Pearl 3 (2BW)

limny








PURPOSEFUL. PRACTICAL. PROFESSIONAL.

Unleash your spirit of adventure and get ready to explore. Inside the Jimny's down-to-earth design, you'll discover robust surfaces, sensible storage spaces and a flat rear luggage area at the ready. Everything you need - connectivity, entertainment and information are at your fingertips, so every minute on and off the road, is enjoyed without distraction.



INFRARED TOUCHSCREEN

The multi-media infotainment system features a high definition, infrared touchscreen with in-built smartphone connectivity through Bluetooth® and USB connection. Enjoy easy fingertip command even while wearing gloves.



ANDROID AUTO" AND APPLE CARPLAY

Connect your compatible smartphone via Android Auto[™] or Apple CarPlay to access navigation maps, play music and podcasts, make handsfree phone calls and voice activated texts, and use other driving safe apps.



CRUISE CONTROL AND SPEED LIMITER

Use the cruise control to set a fixed speed for more efficient driving and to help reduce driver fatigue over long distances. For safe and more controlled driving, set a maximum speed with the speed limiter.



CLIMATE CONTROL AIR CONDITIONING

A high-contrast LCD display makes it easy to set the climate control air conditioning to your preferred comfort level (Sierra). There's even a special pollen filter that removes dust and other particles so you can breathe easy.



RIGID LADDER FRAME Continuing from the very first

generation, the Jimny features a robust ladder frame for everyday comfort on the road, and solid driving stability off the road



PART TIME 4WD WITH LOW RANGE TRANSFER GEAR

On-road. Off-road. No road. The Jimny has the torgue and traction for every situation. On paved surfaces, 2H (2WD) mode offers a smooth, quiet ride with maximum fuel-efficiency. On flat dirt roads or in the snow 4H gives you 4WD traction combined with higher speeds. When the going gets really tough there's 4L mode for maximum torque and traction

HILL HOLD AND HILL DESCENT CONTROL

Hill starts are easy with hill hold control, and for tricky descents, the hill descent system automatically applies braking to maintain a fixed speed so you can concentrate on steering without using the brakes or clutch.



Departure angle

Ramp breakover angle

3-LINK RIGID AXLE WITH COIL SPRING SUSPENSION


When you want to take on the rough stuff you need full-width rigid axles in both the front and rear, and the Jimny delivers. As an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact and traction. Whatever lies in your path - mud, loose rocks, slippery roots, Jimny's go-anywhere ability is legendary

BRAKE LSD TRACTION CONTROL

Cover slippery ground with confidence. If two diagonal wheels lose grip while on slippery surfaces, the limited-slip differential traction control automatically brakes the slipping wheels and redistributes torque to the other two wheels, allowing the Jimny to continue safely

AMPLE BODY ANGLES AND CLEARANCE

The Jimny lets you explore to the limit with generous approach, ramp breakover, and departure angles. Its high ground clearance lets you take on the steepest slopes, sharpest descents and gnarliest obstacles without scraping or catching.



GO SAFELY AND EXPLORE

Safety is important whether you're commuting in the city or toughing it out in the middle of nowhere. The Jimny offers comprehensive protection with 6 SRS airbags, automatic headlamps and daytime running lamps, and the added confidence of Suzuki Safety Support – a suite of preventative safety features designed to detect potential accidents and help avoid them.



DUAL SENSOR BRAKE SUPPORT (DSBS)

The Jimny features a forward detection system using a monocular camera and a laser sensor attached to the windshield. The monocular camera excels at mid-to-long distance detection and pedestrian recognition while the laser sensor excels at short distance and night-time detection.*

LANE DEPARTURE WARNING

Should you unintentionally stray from your lane while driving at 60km/h or faster, this feature is designed to vibrate the Jimny's steering wheel and issue a visual warning to encourage safer driving.*

WEAVING ALERT

This system calculates your driving pattern and issues audio and visual warnings if it detects you're 'wandering' due to driver fatigue, for example.*

HIGH BEAM ASSIST

At 40 km/h or faster, Jimny's high beam assist can automatically switch the headlights between high and low beam depending on the presence of other vehicles and the lighting environment.

6 AIRBAGS

Jimny features six airbags for the driver and passenger seats including SRS front, side, and curtain airbags for safety and protection.



2. Deploys brake assist to increase braking force if the risk of collision is high and the driver panic brakes.



3. Applies strong automatic braking if the risk of collision increases even more.

*Please do not rely on the monocular camera and laser sensor. It is only an aid and the ability to detect obstacles and lanes, and control the vehicle is limited. Always drive safely.

Specifications

INFOTAINMENT	JX CARRY	JXN CARRY	SIERRA
Touchscreen	-	•	•
Two speaker Tuner/MP3/WMA/CD	•	-	-
Two speaker Tuner/MP3/WMA	-	•	•
Bluetooth®	•	•	•
USB input	•	•	•
Smartphone connectivity	-	•	•
Apple CarPlay & Android Auto™	-	-	•
Smartphone connected navigation	-	•	•

		NX/JXN	SIERRA	Brake LSD control				•	•	
INSTRUMENT PANEL		CARRY		High beam assist			•	•		
Tachometer		•	•	Emergency stop sig	Inal			•	•	
Information display	Digital clock	•	•	Guide Me light			•	•		
	Outside temperature gauge	•	•	High mounted stop lamp				•	•	
	Fuel consumption (instant, average, range)	•	•	ABS with EBD and E	Brake assist			•	•	
	Gear position indicator	-	AUTO	Electronic Stability F	Electronic Stability Programme (ESP®)			•	•	
Lights-on and key remin	der	•	•	Brake override syste	em			•	•	
Door-ajar warning indica	ator	•	•	Shift lock and key interlock				-	AUTO	
Seatbelt reminder for all	seating positions	•	•	Side impact beams				•	•	
INTERIOR				Collapsible steering	g column			•	•	
Air conditioning	Manual with pollen filter	•	-	Brake and clutch de	rake and clutch decoupling mechanism			•	•	
	Climate control with pollen filter	-	•	6 SRS airbags (front	5 SRS airbags (front, side and curtain)			•	•	
Remote entry with hazar	rd answer-back	•	•	Seat belts Front 3	3-point ELR wit	h pretension	ers and force limiters	•	•	
Steering wheel	Leather covered	-	•	Rear 3	-point ELR with	n pretensione	ers and force limiters x 2	-	•	
5	Cruise, speed limiter, phone, and audio controls	•	•	ISOFIX child seat anchorages x 2			-	•		
	Tilt adjustable	•	•	Engine immobiliser				•	•	
Front electric windows		•	•	CADA CITY						
	seats with resin-coated backs	-	•	CAPACITY			_			
Adjustable head restrain		2	4	Seating capacity	5	<i></i>	Persons	2	4	
Assist grips x 3		•	•	Luggage capacity (VDA method)	Rear seats		Litres	-	377	
Sun visors		•	•		Rear seats		Litres	-	85	
	mirror on both sides			Carrying capacity	Rear loads	pace	kg	265	-	
Ficket holder and vanity			•	Fuel tank capacity			Litres		40	
Day/night rear view mirr	or	•	•	Towing capacity	Unbraked	/ Braked	kg	500	/ 950	
abric seat upholstery		•	•							
B position cabin lights		•	•	DIMENSIONS AN	D WEIGHTS		MANUAL	AL	στυ	
Front door storage pock		•	•	Overall length		mm	3,4	80		
Front seatback pocket o	on passenger's side	•	•	Overall length (incl.	spare wheel)	mm	3,6	45		
Drink holders x 2		•	•	Overall width		mm	1,6	45		
Luggage area under-floo	or storage box	•	•	Overall height		mm	1,720		20	
Luggage area light		-	•	Wheelbase		mm	2,250			
Luggage hook screw ho	les x 4	•	•	Tread	Front	mm	1,395			
Utility screw holes x 10		•	•		Rear	mm	1,405			
12 V accessory socket	Front	•	•	Ground clearance		mm	2'	210		
	Rear	-	•	Approach angle deg		3	37			
EXTERIOR							28			
Styling	Wheel arch extensions	•	•	Departure angle				49		
	Drip rails	•	•	Minimum turning ra	dius	m	4			
	Hard spare wheel half cover	•	•	Curb weight		min. kg	1,095		,110	
Privacy glass (rear windo		-	•	Gross vehicle weigh	ht	kg	1,4		,110	
Wheels	15-inch black steel	•		Closs venicle weigh		ĸġ	1,4	55		
	15-inch alloy	-	•	ENGINE AND TRANSMISSION						
	Full size spare	•	•	Туре к			15B			
Headlamps	Halogen multi-reflector	•	-	Number of cylinder	s / valves		4 /	16		
leadiamps	LED projector	•	•	Piston displacemen	ıt	cm3	1,4	62		
	Auto levelling	-	•	Maximum output		kW	75@6,0	00 rpm		
	Auto light-sensing			Maximum torque Nm		130@4,000 rpm				
		•	•	Fuel distribution		Multi-point injection				
	Lamp washers	-	•	Fuel type			91-98RON			
want fag lawa	Daytime running lamps	•	•	Fuel economy*	Combined	L/100 km	6.4 NEDC (7.1 3P-WLTP)	6.9 NEDC ((7.7 3P-WLT	
Front fog lamps		-	•	CO2 emissions	Combined	g/km	146 NEDC (162 3P-WLTP)	158 NEDC (176 3P-WL1	
Mirrors	Electrically adjustable	•	•	Transmission			5-speed Manual	4-stag	ge Auto	
	Electrically folding	-	•	CHASSIS						
2-speed wipers with inte		•	•				Destroit	ting hall		
Rear window demister a	nd wiper with washer	•	•	Steering	Front		Recircula			
				Brakes	Front		Solid		~	
	Fuel consumption will vary due to factors such as vehicle condition, drivin					ing and trailing				
	ry due to factors such as vehicle condition, drivin	g style and		Curran 1	Freed		0 P 1 2 2 2 2	and the second s		
affic conditions.	ry due to factors such as vehicle condition, drivin		details including	Suspension	Front Rear		3-link rigid axle 3-link rigid axle			

seque mc, regustered in the U.S. and other countries. Android Auto requires the Android Auto app from Google Play, and an Android compatible smartphone running Android* 5.0 Lollipop or higher: www.support.google.com/androidauto. Android and Android Auto are trademarks of Google LLC.

SAFETY AND SECURITY					SIERRA
5 year extensive warranty programme					•
5 year roadsi	de assista	nce		•	•
Cruise contro	ol			•	•
Dual Sensor I	Brake Sup	port		•	•
Lane departu	re warnin	g		•	•
Weaving alert					•
Speed limiter				•	•
Hill hold cont	rol			•	•
Hill descent of	•	•			
Brake LSD co	ontrol			•	•
High beam as	ssist			•	•
Emergency st	•	•			
Guide Me ligh	•	•			
High mounted stop lamp				•	•
ABS with EBD	•	•			
Electronic Sta	ability Prog	gramme (ESP®)		•	•
Brake overrid	le system			•	•
Shift lock and	-	AUTO			
Side impact b	•	•			
Collapsible st	•	•			
Brake and clu	•	•			
6 SRS airbag	•	•			
Seat belts	Front 3-po	oint ELR with pretension	•	•	
	Rear 3-po	int ELR with pretension	-	•	
ISOFIX child seat anchorages x 2				-	•
Engine immo	biliser			•	•
CAPACITY					
Seating capa	city		Persons	2	4
Luggage cap	acity	Rear seats folded	Litres	-	377
(VDA method	1)	Rear seats raised	Litres	-	85
Carrying capacity		Rear loadspace	kg	265	-



A little goes a looooong way

At Suzuki we make it easy to own and enjoy your new car every day. Not only are Suzuki cars and SUVs economical – they are affordable, safe and sooooo much fun to drive. With our advanced small engine technology and innovative design, you'll get loads of value without compromising performance.

5 YEAR WARRANTY PACKAGE

Suzuki's comprehensive 3 year/100,000 km new vehicle warranty covers your entire vehicle for the most important part of its lifecycle, and includes an additional 2 year powertrain warranty extension for a total of 5 years worry-free motoring.

5 YEAR SUZUKI ASSIST

With one of New Zealand's most comprehensive roadside assistance programmes, you are covered all day, every day for 5 years from when you first buy your Suzuki – no matter how many kilometres you travel.



SUPPORTING OUR COMMUNITY











plunket

SUZUKI NEW ZEALAND LIMITED 1 HEADS ROAD, WHANGANUI, WWW.SUZUKI.CO.NZ

Standard and optional equipment available may vary from time to time. Some international models illustrated – please enquire at your Suzuki dealer for exact specifications. Suzuki New Zealand Ltd reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models. SZA1502 March 2024.