





## EPIC DESTINATIONS, LEGENDARY JOURNEYS

Grab the gear and the crew as it's even easier to share your big adventures in the Suzuki Jimny 5-Door. Go wild, and make unforgettable memories with its ALLGRIP PRO 4WD system and off-road manoeuvrability. And tomorrow, you can do it all over again.

ÌM



Kinetic Yellow with

izzling Red Metallic Chi with Bluish Black w Pearl (E5R)

with Bluish Black Pearl (E5J)

Bluish Black Pearl (E5H)



## **READY FOR MORE**

Load up, the great outdoors is calling. With five doors, roomier interior, and down-to-earth practicality, the Jimny 5-Door is ready for action. You'll stay tuned to the beat of adventure with smart connectivity, entertainment and information at your fingertips.




#### MORE SPACE, MORE COMFORT

You'll enjoy the destination as much as the journey in the Jimny 5-Door's longer and roomier cabin. Relax in larger, comfier rear seats that recline in two locking positions or fold forward when you need the extra luggage space. Store all your items in the handy glovebox, front console, and storage pockets.

#### 9-INCH TOUCHSCREEN

The customisable infotainment system display features a 9-inch touchscreen for live vehicle information, digital clock, music playback and connectivity through Bluetooth® Wi-Fi® and USB connection



ANDROID AUTO" AND WIRELESS APPLE CARPLAY

Connect your compatible smartphone via Android Auto or wireless Apple CarPlay to access maps, play music. make phone calls, and send and receive messages by voice command or by tapping on the display.



ACCESSIBLE LOADING AREA Stow away your gear easily with the large back door opening and versatile boot area with light for added convenience. Connect camping accessories to the front or rear 12V



#### CLIMATE CONTROL AIR CONDITIONING

A high-contrast LCD display makes it easy to set the climate control air conditioning to your preferred comfort level. There's even a special pollen filter that removes dust and other particles so you can breathe easy.



#### REVERSE CAMERA

LED LIGHTING SYSTEM

The auto light-sensing LED projector

headlamps with manual washers turn

on with nightfall or low-light. Davtime

running, fog lamps and rear stop lamp

to keep you seen on the road.

round out the lighting system designed

The reverse camera helps you park and reverse safely without having to twist around in your seat. When reversing, the touchscreen display shows the view of what's behind the vehicle and distance quidelines.





#### PART TIME 4WD WITH LOW RANGE TRANSFER GEAR

On-road. Off-road. No road. The Jimny has the torque and traction for every situation. On paved surfaces, 2H (2WD) mode offers a smooth, quiet ride with maximum fuel-efficiency. On flat dirt roads or in the snow 4H gives you 4WD traction combined with higher speeds. When the going gets really tough there's 4L mode for maximum torque and traction.

**RIGID LADDER FRAME** Continuing from the very first

generation, the Jimny features a robust ladder frame for everyday comfort on the road, and solid driving stability off the road



Hill starts are easy with hill hold control, and for tricky descents, the hill descent system automatically applies braking to maintain a fixed speed so you can concentrate on steering without using the brakes or clutch.





Departure angle

Ramp breakover angle

#### 3-LINK RIGID AXLE WITH COIL SPRING SUSPENSION

When you want to take on the rough stuff you need full-width rigid axles in both the front and rear, and the Jimny delivers. As an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact and traction. Whatever lies in your path - mud, loose rocks, slippery roots, Jimny's go-anywhere ability is legendary.

#### BRAKE LSD TRACTION CONTROL

Cover slippery ground with confidence. If two diagonal wheels lose grip while on slippery surfaces, the limited-slip differential traction control automatically brakes the slipping wheels and redistributes torgue to the other two wheels, allowing the Jimny to continue safely.

#### AMPLE BODY ANGLES AND CLEARANCE

The Jimny lets you explore to the limit with generous approach, ramp breakover, and departure angles. Its high ground clearance lets you take on the steepest slopes, sharpest descents and gnarliest obstacles without scraping or catching

Approach angle

# **KEEPING YOU SAFE OUT THERE**

While pushing the limits of adventure, safety is top priority for the Jimny 5-Door. Designed to offer unobstructed views and to give a better sense of vehicle position, this ingenious 4WD is next level. Equipped with six SRS airbags and Suzuki's Advanced Forward Detection System, you can count on the Jimny 5-Door to stay on track and bring everyone safely back to base camp when the adventure ends.



#### DUAL CAMERA BRAKE SUPPORT (DCBS)

The Jimny 5-Door features a forward detecting system using a dual camera attached to the windshield. The DCBS recognises vehicles, pedestrians, and lane lines and helps avoid collisions and damage through warnings and automatic braking.\*

#### LANE DEPARTURE WARNING

Stay safely in your lane thanks to the lane departure warning function. At 60 km/h or faster, the cameras detect lane markers and if you drift, vibrates the steering wheel and gives you a visual warning.

#### WEAVING ALERT

This system calculates your driving pattern and issues audio and visual warnings if it detects you're 'wandering' due to driver fatigue, for example.

#### ADAPTIVE CRUISE CONTROL

The adaptive cruise control system automatically maintains your following distance depending on the setting selected and vehicle speed (Auto). Cruise control (Manual) sets a fixed speed for efficient driving.

#### 6 AIRBAGS

Jimny features six airbags for the driver and passenger seats including SRS front, side, and curtain airbags for safety and protection.

#### PARKING SENSORS

Parking is safer and easier with four ultrasonic sensors in the rear bumper that detect obstacles and send you a warning you can both see and hear.









## **Specifications**

| 9-inch touchscreen   |  | •   |
|--|--|-----|
| Four speaker Tuner/M   | P3/WMA   | •   |
| Bluetooth®   |  |     |
| Wireless Apple CarPla  | v  |     |
| Android Auto <sup>™</sup>  | 3  |     |
| Smartphone connecte  | d navigation                                     |     |
| USB input  |  |     |
| -  |  |     |
| INSTRUMENT PANE  | L  |     |
| Tachometer   |  | •   |
| Information display  | Digital clock                                    | •   |
|  | Outside temperature gauge                        | •   |
|  | Fuel consumption (instant, average, range)       | •   |
|  | Gear position indicator (auto)                   | •   |
|  | ALLGRIP driving mode indicator                   | •   |
| Lights-on and key rem  |  | •   |
| Door-ajar warning indi   | cator  | •   |
| Seatbelt reminder for a  | all seating positions                            | •   |
| INTERIOR   |  |     |
| Climate control air con  | ditioning with pollen filter                     | •   |
| Remote entry with haz  |  | •   |
| Steering wheel   | Leather covered                                  | •   |
| -  | Cruise, speed limiter, phone, and audio controls | •   |
|  | Tilt adjustable                                  | •   |
| ALLGRIP PRO transfer   | •  | •   |
| Electric windows front   |  | •   |
| 50:50 split folding rea  | r seats with two locking positions               | •   |
| Adjustable head restra   |  | •   |
| Assist grips x 3   |  | •   |
| Fabric seat upholstery   |  | •   |
| 3 position cabin lights  |  | •   |
| Front door storage po  |  | •   |
| Front seatback pocket  |  | •   |
| Drink holders x 2  |  | •   |
| Luggage area light   |  |     |
| Luggage hook screw h   | noles x 4  |     |
| 12 V accessory socket  |  | •   |
|  |  |     |
| EXTERIOR   |  |     |
|  | ille with chrome accent                          | •   |
| Styling  | Wheel arch extensions                            | •   |
|  | Side under protection garnishes                  | •   |
|  | Drip rails                                       | •   |
|  | Hard spare wheel half cover                      | •   |
| Privacy glass (rear win  |  | •   |
| Wheels   | 15-inch alloy                                    | •   |
|  | Full size spare                                  | •   |
| Headlamps  | LED projector                                    | •   |
|  | Auto light-sensing                               | •   |
|  | Lamp washers                                     | •   |
|  | Daytime running lamps                            | •   |
|  | Guide Me light                                   | •   |
| Front fog lamps  |  | •   |
| Mirrors  | Electrically adjustable                          | •   |
|  | Electrically folding                             | •   |
| 2-speed wipers with v  | ariable intermittent and washer                  | •   |
| Rear window demister   | and wiper with washer                            | •   |
| SAFETY AND SECU  | RITY   |     |
| 5 year extensive warra   |  | •   |
| 5 year roadside assista  |  | •   |
| Cruise control   |  | •   |
| Adaptive cruise control  | 1  | AUT |
|  |  | •   |
| -  |  |     |
| Dual Camera Brake Su   |  | -   |
| Dual Camera Brake Su<br>Lane departure warnin  |  | •   |
| Dual Camera Brake Su<br>Lane departure warnin<br>Weaving alert   |  | •   |
| Dual Camera Brake Su<br>Lane departure warnin<br>Weaving alert<br>Reverse camera                           | g  |     |
| Dual Camera Brake Su<br>Lane departure warnin<br>Weaving alert<br>Reverse camera<br>Rear parking proximity | g  | •   |
| Dual Camera Brake Su<br>Lane departure warnin<br>Weaving alert<br>Reverse camera                           | g  | •   |

#### SAFETY AND SECURITY

| Hill hold control  | bl  | • |  |
|--|---|---|--|
| Hill descent co  | ontrol  | • |  |
| Brake LSD cor  | ntrol   | • |  |
| Emergency sto  | op signal   | • |  |
| Guide Me light   | t   | • |  |
| High mounted   | stop lamp   | • |  |
| ABS with EBD   | and Brake assist  | • |  |
| Electronic Stability Programme (ESP®)                      |   |   |  |
| Brake override system                                      |   |   |  |
| Shift lock and key interlock (auto)                        |   |   |  |
| Side impact be   | eams  | • |  |
| Collapsible ste  | eering column   | • |  |
| Brake and clut   | ch decoupling mechanism                                 | • |  |
| 6 SRS airbags (front, side and curtain)                    |   |   |  |
| Seat belts   | Front 3-point ELR with pretensioners and force limiters | • |  |
|  | Rear 3-point ELR with pretensioners and force limiters  | • |  |
| ISOFIX child seat anchorages x 2 and tether anchorages x 2 |   |   |  |
| Child-proof rea  | ar door locks   | • |  |
| Engine immob   | iliser  | • |  |
|  |   |   |  |

| ENGINE AND TRANSMISSION |             | MANUAL                | AUTO                      |                           |
|-------------------------|-------------|-----------------------|---------------------------|---------------------------|
| Туре                    |             | K15B                  |                           |                           |
| Number of cylinder      | rs / valves |                       | 4 /                       | 16                        |
| Piston displacement cm3 |             | cm3                   | 1,462                     |                           |
| Bore x stroke           |             | mm                    | 74.0 >                    | < 85.0                    |
| Compression ratio       |             |                       | 1                         | 0                         |
| Maximum output          |             | kW                    | 75@6,0                    | 000 rpm                   |
| Maximum torque Nm       |             | 130@4,000 rpm         |                           |                           |
| Fuel distribution       |             | Multi-point injection |                           |                           |
| Fuel type               |             | 91-98RON              |                           |                           |
| Fuel economy*           | Combined    | L/100 km              | 6.4 NEDC<br>(7.1 3P-WLTP) | 6.9 NEDC<br>(7.7 3P-WLTP) |
| CO2 emissions           |             | g/km                  | 148 NEDC<br>(165 3P-WLTP) | 161 NEDC<br>(179 3P-WLTP) |
| Transmission            |             |                       | 5-speed Manual            | 4-stage Auto              |

#### DIMENSIONS AND WEIGHTS

| Overall length                     |       | mm      | 3,820 |       |  |
|------------------------------------|-------|---------|-------|-------|--|
| Overall length (incl. spare wheel) |       | mm      | 3,985 |       |  |
| Overall width                      |       | mm      | 1,645 |       |  |
| Overall height                     |       | mm      | 1,720 |       |  |
| Wheelbase                          |       | mm      | 2,5   | 90    |  |
| Tread                              | Front | mm      | 1,3   | 95    |  |
|                                    | Rear  | mm      | 1,4   | 05    |  |
| Ground clearance                   |       | mm      | 210   |       |  |
| Approach angle                     |       | deg     | 36    |       |  |
| Ramp break-over angle              |       | deg     | 24    |       |  |
| Departure angle                    |       | deg     | 4     | 47    |  |
| Minimum turning radius             |       | m       | 5.7   |       |  |
| Curb weight                        |       | min. kg | 1,200 | 1,215 |  |
| Gross vehicle weight               |       | kg      | 1,5   | 1,545 |  |
|                                    |       |         |       |       |  |

#### CHASSIS

| Steering   |       | Recirculating ball                 |  |
|------------|-------|------------------------------------|--|
| Brakes     | Front | Ventilated disc                    |  |
|            | Rear  | Drum, leading and trailing         |  |
| Suspension | Front | 3-link rigid axle with coil sprin  |  |
|            | Rear  | 3-link rigid axle with coil spring |  |
| Tyres      |       | 195/80R15                          |  |

#### CAPACITY

| Seating capacity               |                   | Persons | 4          |
|--------------------------------|-------------------|---------|------------|
| Luggage capacity<br>VDA method | Rear seats folded | Litres  | 332        |
|                                | Rear seats raised | Litres  | 211        |
| Fuel tank capacity             |                   | Litres  | 40         |
| Towing capacity                | Unbraked / Braked | kg      | 500 / 1300 |

Fuel consumption will vary due to factors such as vehicle condition, driving style and traffic conditions.

ESP\* is a registered trademark of Daimler AG. Bluetooth\* is a registered trademark of Bluetooth SIG. Inc. For more details including iPhone models compatible with Apple CarPlay, see: www.apple.com/ios/carplay. Apple, Apple CarPlay and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. Android Auto requires the Android Auto app from Google Play, and an Android compatible smartphone running Android" 5.0 Lollipop or higher: www.support.google.com/androidauto. Android and Android Auto are trademarks of Google LLC.



# A little goes a looooong way

At Suzuki we make it easy to own and enjoy your new car every day. Not only are Suzuki cars and SUVs economical – they are affordable, safe and sooooo much fun to drive. With our advanced small engine technology and innovative design, you'll get loads of value without compromising performance.

### **5 YEAR WARRANTY PACKAGE**

Suzuki's comprehensive 3 year/100,000 km new vehicle warranty covers your entire vehicle for the most important part of its lifecycle, and includes an additional 2 year powertrain warranty extension for a total of 5 years worry-free motoring.

## **5 YEAR SUZUKI ASSIST**

With one of New Zealand's most comprehensive roadside assistance programmes, you are covered all day, every day for 5 years from when you first buy your Suzuki – no matter how many kilometres you travel.



SUPPORTING OUR COMMUNITY











SUZUKI NEW ZEALAND LIMITED 1 HEADS ROAD, WHANGANUI. WWW.SUZUKI.CO.NZ

Standard and optional equipment available may vary from time to time. Some international models illustrated – please enquire at your Suzuki dealer for exact specifications. Suzuki New Zealand Ltd reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models. SZA4013 May 2025.